

Installation and Setup Guide for Ubuntu

This guide explains the steps to set up and perform a file backup on Ubuntu. The process remains the same for the latest versions of Ubuntu.

Installer Type	Use For	Linux Distributions	Package Manager
SH Online Installer	Generic Installer for any Linux system	CentOS, Debian, Red Hat, Ubuntu, Rocky Linux	Shell script (bash)
TAR GZ Offline Installer	All Linux distributions, no internet required	CentOS, Debian, Red Hat, Ubuntu, Rocky Linux	Manual install
RPM Online Installer	RHEL-based distributions (CentOS, RHEL, Rocky Linux)	CentOS, RHEL, Rocky Linux	rpm , dnf , yum
DEB Online Installer	Debian-based distributions (Ubuntu, Debian)	Ubuntu, Debian	dpkg , apt

Step 1: Create Account & Download the Linux Client

Create a PRO UK account in your portal and then open the following link to access the Linux client download page: [Click Here](#)

If you have a branded URL / product name or are using another storage region apart from the UK, then please contact us for any help in following the below steps.

Method 1: Installing via .deb Installer

a) Update System and Install Required Packages

Open the terminal and run:

```
[ sudo apt update && sudo apt install -y curl ]
```

b) Download the (.deb) Installer



Linux / FreeBSD / Solaris



[SH online installer](#)



[TAR GZ offline installer](#)



[RPM online installer](#)



[DEB online installer](#)



c) Navigate to the folder where the .deb package is downloaded.

Use the following command to install the package:

'''

[sudo dpkg -i <name_of_downloaded_package>.deb]

```
root@ss-virtual-machine: /home/ss/Downloads
root@ss-virtual-machine:/home/ss/Downloads# sudo dpkg -i obm-linux-noarch-443-uk
.onlinedatastorageuk.co.uk-https-433140.deb
```

'''

d) If there are any dependency issues, run:

'''

[sudo apt-get install -f]

'''


Method 2: Installing via .sh Installer

a) Update System and Install Required Packages

Open the terminal and run:

[sudo apt update && sudo apt install -y bash]

b) Download the (.sh) Installer



c) Grant Execution Permission

Navigate to the directory where the .sh file is downloaded:

```
ss@ss-virtual-machine:~/Desktop$ ls
obm-linux-443-uk.onlinedatastorageuk.co.uk-https-433140.sh
```

Make the script executable:

[chmod +x obm-linux-443-uk.onlinedatastorageuk.co.uk-https-433140.sh]

```
ss@ss-virtual-machine:~/Desktop$ chmod +x obm-linux-443-uk.onlinedatastorageuk.c
o.uk-https-433140.sh
ss@ss-virtual-machine:~/Desktop$ ls
obm-linux-443-uk.onlinedatastorageuk.co.uk-https-433140.sh
ss@ss-virtual-machine:~/Desktop$
```

d) Install the Backup Software


Run the installation script:

```
[ sudo bash obm-linux-443-uk.onlinedatastorageuk.co.uk-https-433140.sh ]
```

Give sudo password(root password)


```
ss@ss-virtual-machine:~/Desktop$ sudo bash obm-linux-443-uk.onlinedatastorageuk.co.uk-https-433140.sh
[sudo] password for ss:
Log Time: সেমবার 24 মার্চ 2025 01:03:15 পূর্বাহ্ন +06
Host address: https://uk.onlinedatastorageuk.co.uk:443
Downloading file... jre-std-linux-amd64.tar.gz
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left   Speed
  0  91.3M    0  97996    0     0    50810      0  0:31:25  0:00:01  0:31:24  50801
```

Step 2: After installation, search for BackupEverythingPro in your Menu





Step 3: Create your File Backup Set


Navigate to Backup Sets and click Create New Backup Set.




Enter a Backup Set Name and click Next.



Step 4: Select Files to Backup




Choose the files or directories you want to include in the backup.




Click OK, Then Click Next to proceed.

Step 5: Configure Backup Schedule




Use the default schedule or set up a new one.




Click OK.

Step 6: Select Backup Destination

Choose where to store the backup:



The screenshot shows the 'Destination' window of Backup Everything Pro. At the top, the title bar reads 'Backup Everything Pro'. Below it, the word 'Destination' is displayed in a large blue font. Under 'Backup mode', a dropdown menu is set to 'Sequential'. Under 'Existing storage destinations', there is a red-bordered button with a plus icon and the text '+ Add new storage destination / destination pool'. Below this button are two small upward and downward arrow icons. At the bottom right, there is a blue bar containing four buttons: 'Previous', 'Next', 'Cancel', and 'Help'.



The screenshot shows the 'New Storage Destination / Destination Pool' dialog box. It has a title bar with the same text. Inside, there is a 'Name' field with 'UK Storage' entered. Below it, the 'Destination storage' section contains a list of three options, each with a red-bordered button: 'UK Storage (Immutable: No)' (selected), 'UK Storage (Immutable: No)', and 'Local / Mapped Drive / Removable Drive'. At the bottom right, there is a blue bar with three buttons: 'OK', 'Cancel', and 'Help'.


Cloud Storage (UK storage) or Local Drive (External Hard Drive, USB, or another partition)

Click OK.

Step 7: Finalizing the Backup Set

The system will confirm that the Backup Set is created.

A message will appear: "Congratulations! Backup Set Created."




Below this message, you'll find a "Backup" button that allows you to start the backup immediately.

Step 8: Running a Backup


Option 1: Immediate Backup

If you click "Backup" after creating the set, it will start immediately.



Option 2: Backup from the "Backup" Menu


Go to the Backup section.



Select an existing Backup Set.

Please Select The Backup Set To Backup


Sort by
Creation Time ▼

 default-backup-set-name-1
Owner: ss-virtual-machine
Last Backup: Saturday, 22 March 2025 22:56

Close Help

Click Backup to start the process.

Choose Your Backup Options

 default-backup-set-name-1

Backup set type
File

Destinations
☒ UK Storage (Immutable: No)

Migrate Data
☐ Migrate existing data to latest version

Previous Backup Cancel Help

Step 9: Verify the Backup

1. Check the backup destination (cloud storage or local directory) to ensure the files were successfully backed up.
2. Test the backup by restoring a file from the backup set to ensure data is correctly backed up and can be restored.

Conclusion

You have now successfully set up on your Linux machine and created a file backup set. This guide ensures that all necessary steps are covered from creating an account, installing the client, and performing a file backup. Feel free to reach out if further assistance is needed.